







نوع پمپ	توان		جریان (آمپر)		قطر فلنج mm		آبدهی Q	n ≈ 2900 rpm , 50 Hz													
	P		(آمپر)		mm			m3/h	1.8	2	2.4	3	4.2	5	6	7	8	9	10	11	
	KW	HP	380 V	220 V	مکش	رانش			l/s	0.50	0.56	0.67	0.83	1.17	1.39	1.67	1.94	2.22	2.50	2.78	3.06
R.P NFCVM 40-60/40																					
R.P NFCVM 40-60/40 C	0.37	0.5	1	2.6				7	6.95	6.8	6.5	5.8	5.2	4.4	3.4	2.4	1.4	*	*		
R.P NFCVM 40-60/40 B	0.37	0.5	1	2.6	40	40	H (m)	9.5	9.45	9.3	9	8.35	7.9	7	6.2	5.3	4.3	3	1.7		
R.P NFCVM 40-60/40 A	0.37	0.5	1	2.6				11.7	11.6	11.5	11.2	10.6	10	9.5	8.8	8	7	5.9	4.7		



نوع پمپ	توان		جریان (آمپر)		قطر فلنج mm		آبدهی Q	n ≈ 2900 rpm , 50 Hz												
	P							m3/h	2.5	5	6	8	9	10	11	13	14	15	16	18
	KW	HP	380 V	220 V	مکش	رانش			I/s											
R.P NFCVM 40-60/50																				
R.P NFCVM 40-60/50 D	0.37	0.5	1	2.6	50	50	H (m)	6.5	6.3	6	5.6	5.2	4.7	4.3	3	2.5	1.8	*	*	
R.P NFCVM 40-60/50 C	0.37	0.5	1	2.6				9	8.8	8.7	8.4	8	7.8	7.3	6	5.5	4.9	4	2.2	
R.P NFCVM 40-60/50 B	0.55	0.75	1.5	4				10.8	10.5	10.3	10	9.7	9.3	8.9	8	7.4	6.7	6	4.5	
R.P NFCVM 40-60/50 A	0.75	1	1.7	4.8				14.2	14	13.9	13.8	13.6	13.2	12.7	11.9	11.2	10.6	10	8.5	




نوع پمپ	توان		جریان (آمپر)		قطر فلنج mm		آبدهی Q	n ≈ 1450 rpm , 50 Hz												
	P							m3/h	2.5	3	4	5	6	7	8	9	10	11	12	13
	KW	HP	380 V	220 V	مکش	رانش			I/s											
R.P NFCV4 40-60/50																				
R.P NFCV4 40-60/50 A	0.37	0.5	1.25	2.8	50	50	H (m)	4.4	4.35	4.3	4.2	4.1	3.9	3.6	3.3	3	2.7	2.2	1.9	




نوع پمپ	توان		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 2900 rpm , 50 Hz												
	KW	HP	380 V	220 V	مکش	رانش		5	8	11	14	18	20	22	24	26	28	30	32	
			A	A				1.39	2.22	3.06	3.89	5	5.56	6.11	6.67	7.22	7.78	8.33	8.89	
R.P NFV 32-160/50 E	1.1	1.5	2.6	6.5	50	50	H (m)	19	18	16.2	13.8	9	6	2.5	*	*	*	*	*	
R.P NFV 32-160/50 D	1.5	2	3.3	8.8				22.8	21.7	20	17.8	13.9	11	7.8	*	*	*	*	*	*
R.P NFV 32-160/50 C	2.2	3	4.6	13.3				30.2	29	27.6	25.5	21.8	19.5	16.6	13.2	9.5	5.3	*	*	*
R.P NFV 32-160/50 B	3	4	6	*				36.7	35.8	34.4	32.8	28.8	26.5	24.3	21.4	18	14.2	10.4	6	*
R.P NFV 32-160/50 A	4	5.5	8.4	*				43.5	42.8	41.5	40.2	36.8	34.8	32.3	29.5	26.5	23.4	19.7	15.5	*

H m




η %




نوع پمپ	توان		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz											
	KW	HP	380 V	220 V	مکش	رانش		1	2	3	4	5	6	7	8	9	12	14	15
			A	A				0.28	0.56	0.83	1.11	1.39	1.67	1.94	2.22	2.5	3.33	3.89	4.17
R.P NFV4 32-160/50 B	0.37	0.5	1.25	2.8	50	50	H (m)	10.1	9.9	9.7	9.5	9.3	9.1	8.8	8.6	8.2	6.6	5.4	4.6
R.P NFV4 32-160/50 A	0.55	0.75	1.5	3.6				12.9	12.7	12.5	12.3	12.1	11.9	11.6	11.4	11	9.4	8.2	7.4



H m





η %





نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 2900 rpm , 50 Hz												
	KW	HP	380 V A	220 V A	مکش	رانش		2	3	4	5	6	8	9	10	12	14	16	18	
								0.56	0.83	1.11	1.39	1.67	2.22	2.5	2.78	3.33	3.89	4.44	5	
R.P NFV 32-200/50							H (m)													
R.P NFV 32-200/50 F	3	4	6	*				38.5	38	37.6	36.7	36	33.4	32	30.6	27	21.6	*	*	
R.P NFV 32-200/50 E	3	4	6	*				43.2	42.9	42.4	41.6	40.8	38.4	37	35.5	31.7	27	20	*	
R.P NFV 32-200/50 D	4	5.5	8.4	*				48.7	48.1	47.5	46.6	45.7	43.5	42	40.6	37.2	32.9	27	*	
R.P NFV 32-200/50 C	4	5.5	8.4	*	50	50		52.2	51.7	51.2	50.6	50	48.4	47.3	46.2	43	39	34	26.5	
R.P NFV 32-200/50 B	5.5	7.5	10.5	*				59.5	59.2	59	58.5	58	56.4	55.3	54.2	50.6	46.8	41.7	35	
R.P NFV 32-200/50 A	5.5	7.5	10.5	*				63.5	63.3	63.2	62.8	62.5	61.2	60.2	59.3	56.5	53	48	42	





نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz											
	KW	HP	380 V A	220 V A	مکش	رانش		2	3	4	5	6	7	7.5	8	8.5	9	9.5	10
								0.56	0.83	1.11	1.39	1.67	1.94	2.08	2.22	2.36	2.5	2.64	2.78
R.P NFV4 32-200/50							H (m)												
R.P NFV4 32-200/50 D	0.55	0.75	1.5	3.6				14.5	14.1	13.5	12.8	12	10.8	10	9.4	8.6	7.7	6.7	5.4
R.P NFV4 32-200/50 C	0.55	0.75	1.5	3.6				15.9	15.5	15	14	13	12	11.5	10.6	9.8	9	8	6.8
R.P NFV4 32-200/50 B	0.75	1	1.8	5				17.8	17.4	17	16.3	15.4	14.3	13.6	13	12.2	11.3	10.4	9.4
R.P NFV4 32-200/50 A	0.75	1	1.8	5	50	50		18.7	18.3	17.8	17	16.3	15.3	14.7	14	13.3	12.5	11.7	10.6





نوع پمپ R.P NFV 32-250	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 2900 rpm , 50 Hz													
	KW	HP	380 V A	220 V A	مکش	رانش		4	6	8	10	12	14	15	16	17	18	19	20		
								1.11	1.67	2.22	2.78	3.33	3.89	4.17	4.44	4.72	5	5.28	5.56		
R.P NFV 32-250 G	5.5	7.5	10.5	*	32	32	H (m)	47.7	45.7	43.3	40.2	36.2	29.5	25.5	*	*	*	*	*		
R.P NFV 32-250 F	7.5	10	14.2	*				53	51	48.8	46	42.3	37	33	29	*	*	*	*	*	
R.P NFV 32-250 E	7.5	10	14.2	*				58.5	57	54.7	51.8	48.2	44	41	37	*	*	*	*	*	
R.P NFV 32-250 D	11	15	21	*				65.5	64.4	62.3	59.7	56.3	52.4	50	47.4	44	40	34	*	*	
R.P NFV 32-250 C	11	15	21	*				71.3	70.3	68.5	66	62.5	58.6	56.4	53.5	50.5	46.5	41.5	*	*	
R.P NFV 32-250 B	11	15	21	*				75.2	74	72.5	70	67	63.2	61	58.5	55.7	52	47.5	42	*	*
R.P NFV 32-250 A	15	20	27.5	*				86	85.2	83.8	81.5	78.4	74.8	72.6	70.2	67.5	64	59.5	54	*	*





نوع پمپ R.P NFV4 32-250	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz													
	KW	HP	380 V A	220 V A	مکش	رانش		2	3	4	5	6	6.5	7	7.5	8	9	10	11		
								0.56	0.83	1.11	1.39	1.67	1.8	1.94	2.08	2.22	2.5	2.78	3.06		
R.P NFV4 32-250 D	1.5	2	3.6	9.2	32	32	H (m)	18.5	18.2	17.5	16.8	16	15.5	15	14.4	13.6	11.7	9.3	5.5		
R.P NFV4 32-250 C	1.5	2	3.6	9.2				20	19.7	19	18.4	17.5	17	16.6	16	15.4	13.8	11.5	7.8	*	*
R.P NFV4 32-250 B	1.5	2	3.6	9.2				21.8	21.3	20.8	20.3	19.5	19	18.4	17.8	17.2	15.9	14.1	11.2	*	*
R.P NFV4 32-250 A	2.2	3	5.1	13.7				23.9	23.4	22.9	22.4	21.7	21	20.6	20	19.6	18.3	16.7	14.4	*	*





نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 2900 rpm , 50 Hz														
	KW	HP	380 V A	220 V A	مکش	رانش		4	7	10	12.5	15	17.5	20	22.5	25	27.5	30	32.5			
								1.11	1.94	2.78	3.47	4.17	4.86	5.56	6.25	6.94	7.64	8.33	9.03			
R.P NFV 40-125																						
R.P NFV 40-125 G	1.5	2	3.3	8.8	40	40	H (m)	19.3	18.4	17.5	16.5	15.3	14	12.5	10.8	9	6.7	4.1	*			
R.P NFV 40-125 F	1.5	2	3.3	8.8				20.6	19.8	19	17.9	16.7	15.4	13.9	12	10.2	8	5.5	*			
R.P NFV 40-125 E	2.2	3	4.6	13.3				22.2	21.6	21	19.8	18.6	17.2	16	14.3	12.4	10.3	8	5.1			
R.P NFV 40-125 D	2.2	3	4.6	13.3				23.9	23.3	22.4	21.5	20.3	19	17.5	16	14.2	12.2	10	7.5			
R.P NFV 40-125 C	2.2	3	4.6	13.3				25	24.7	24	23	22	20.6	19.2	17.5	15.8	13.8	11.6	9			
R.P NFV 40-125 B	3	4	6	*				28	27.6	27	26.2	25	24	22.6	20.8	19	17	15	12.5			
R.P NFV 40-125 A	3	4	6	*				29.8	29.4	28.8	28	27	25.7	24.3	22.7	20.8	18.8	16.7	14.2			





نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz														
	KW	HP	380 V A	220 V A	مکش	رانش		3	5	7	9	10	11	12	13	14	16	18	20			
								0.83	1.39	1.94	2.5	2.78	3.06	3.33	3.61	3.89	4.44	5	5.56			
R.P NFV4 40-125																						
R.P NFV4 40-125 B	0.37	0.5	1.25	2.8	40	40	H (m)	8.7	8.6	8.3	7.9	7.6	7.3	6.9	6.4	6	4.8	3.6	2			
R.P NFV4 40-125 A	0.37	0.5	1.25	2.8				9.7	9.6	9.4	9	8.7	8.4	8	7.6	6.7	6.2	4.9	3.5			





نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 2900 rpm , 50 Hz											
	KW	HP	380 V	220 V	مکش	رانش		6	8	10	12	14	17	20	23	26	29	32	35
			A	A				1.67	2.22	2.78	3.33	3.89	4.72	5.56	6.38	7.22	8.05	8.89	9.72
R.P NFV 40-160/50 E	1.5	2	3.3	8.8			H (m)	19.4	19	18.4	17.7	16.6	15.2	13.3	11	8.3	*	*	*
R.P NFV 40-160/50 D	2.2	3	4.6	13.3				25.3	24.8	24	23.3	22.4	20.6	19	16.7	14	*	*	*
R.P NFV 40-160/50 C	2.2	3	4.6	13.3	50	50		31.2	30.6	29.8	29	28	26.2	24.4	22.3	19.8	16.4	12	*
R.P NFV 40-160/50 B	3	4	6	*				36	35.5	35.2	34.5	33.8	32.5	31.2	29.5	27.4	24	20	15.3
R.P NFV 40-160/50 A	4	5.5	8.4	*				39.6	39.3	39	38.5	37.7	36.6	35.4	34	32	29	25.5	21.2





نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz											
	KW	HP	380 V	220 V	مکش	رانش		2	3	4	5	6	8	10	12	14	16	18	20
			A	A				0.56	0.83	1.11	1.39	1.67	2.22	2.78	3.33	3.89	4.44	5	5.56
R.P NFV4 40-160/50 C	0.37	0.5	1.25	2.8			H (m)	9.4	9.3	9.2	9	8.8	8.4	8	7.2	6.3	5	3.6	*
R.P NFV4 40-160/50 B	0.37	0.5	1.25	2.8	50	50		11	10.8	10.7	10.5	10.3	10	9.5	9	8	7	6	4.4
R.P NFV4 40-160/50 A	0.55	0.75	1.5	3.6				12	11.9	11.8	11.7	11.6	11.2	10.8	10.2	9.4	8.3	7	5.4



نوع پمپ R.P NFV 40-200	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 2900 rpm , 50 Hz											
	KW	HP	380 V A	220 V A	مکش	رانش		5	7.5	10	12.5	15	17.5	20	22.5	25	30	35	40
								1.39	2.08	2.78	3.47	4.17	4.86	5.56	6.25	6.94	8.33	9.72	11.11
R.P NFV 40-200 E	4	5.5	8.4	*			H (m)	37	36.4	35.6	34.5	33.4	31.4	29.2	27	24	16	*	*
R.P NFV 40-200 D	5.5	7.5	10.5	*				43.8	43.5	43	42.3	41	40	38	35.5	32.6	25.3	17.2	*
R.P NFV 40-200 C	7.5	10	14.2	*	40	40		50.4	50.2	49.8	49.2	48.4	47	45.3	43	40.3	33.2	24.7	13.5
R.P NFV 40-200 B	11	15	21	*				57.6	57.4	57	56.5	55.6	54.6	53.2	51.4	48.7	41.6	33.5	22.7
R.P NFV 40-200 A	11	15	21	*				63.1	62.9	62.5	61.9	61	60	58.4	56.5	54	47	38	27




نوع پمپ R.P NFV4 40-200	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz											
	KW	HP	380 V A	220 V A	مکش	رانش		4	6	8	10	11	12	13	14	15	16	18	20
								1.11	1.67	2.22	2.78	30.6	3.33	3.61	3.89	4.17	4.44	5	5.56
R.P NFV4 40-200 E	0.55	0.75	1.5	3.6			H (m)	12.5	12.3	11.9	11.2	10.6	10	9.3	8.6	7.8	6.8	5	*
R.P NFV4 40-200 D	0.75	1	1.8	5				14.2	13.9	13.6	12.8	12.3	11.8	11.2	10.5	9.8	8.9	7	4.8
R.P NFV4 40-200 C	1.1	1.5	2.6	6.9	40	40		15.8	15.6	15	14.4	14	13.3	12.7	11.9	11.2	10.3	8.5	6.4
R.P NFV4 40-200 B	1.1	1.5	2.6	6.9				17	16.7	16.3	15.8	15.4	14.8	14	13.4	12.7	11.9	9.9	7.6
R.P NFV4 40-200 A	1.5	2	3.6	9.2				18.2	17.9	17.5	17	16.5	16	15.4	14.7	13.9	13	11	8.9




نوع پمپ R.P NFV 40-315	توان P		جریان (آمپر) 380 V 220 V		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz											
	KW	HP	A	A	مکش	رانش		5	6	7	8	10	11	12	14	15	16	17	18
								H (m)	1.39	1.67	1.94	2.22	2.78	3.06	3.33	3.89	4.17	4.44	4.72
R.P NFV4 40-315 E	2.2	3	4.6	13.7				28.4	27.8	27	26.2	24	22.8	21.4	17.8	15.7	*	*	*
R.P NFV4 40-315 D	3	4	6	*				31.2	30.6	29.8	29	27	25.7	24.2	20.7	18.4	*	*	*
R.P NFV4 40-315 C	4	5.5	8.4	*	40	40	H (m)	34	33.3	32.5	31.6	29.6	28.4	27	24.2	22.3	20	17.3	14
R.P NFV4 40-315 B	4	5.5	8.4	*				36.5	36	35.3	34.5	32.5	31.4	30	26.8	25.2	23.2	21	18
R.P NFV4 40-315 A	4	5.5	8.4	*				39	38.5	38	37	35.2	34	32.5	29.2	27.5	25.5	23.4	21



H m





η %



نوع پمپ R.P NFV 50-250	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 2900 rpm , 50 Hz												
	KW	HP	380 V A	220 V A	مکش	رانش		15	20	25	30	35	40	42.5	45	50	55	60	65	
								4.17	5.56	6.94	8.33	9.72	11.11	11.81	12.5	13.89	15.28	16.67	18.05	
R.P NFV 50-250 E	15	20	27.5	*				67	66	64.6	63	61	58	56.2	54	50	45.5	40	33	
R.P NFV 50-250 D	18.5	25	34	*				77.3	76	74.7	72.8	70.4	67.7	66.2	64.4	60.8	56	50.5	43	
R.P NFV 50-250 C	18.5	25	34	*	50	50	H (m)	83.6	82.6	81.6	80.3	78.2	75.6	73.8	72	68	63.6	59	52.3	
R.P NFV 50-250 B	22	30	40.5	*				90.5	89.6	88.7	87	85.2	83	81.2	79.2	75.2	70.8	66	59.5	
R.P NFV 50-250 A	30	40	54	*				96.2	95.4	94.6	93.2	91	88.4	86.8	85.2	81.5	77.3	72.2	66	




نوع پمپ R.P NFV4 50-250	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q m3/h l/s	n ≈ 1450 rpm , 50 Hz												
	KW	HP	380 V A	220 V A	مکش	رانش		10	12.5	15	17.5	20	22.5	25	27.5	30	32.5	35	40	
								2.78	3.47	4.17	4.86	5.56	6.25	6.94	7.64	8.33	9.03	9.72	11.11	
R.P NFV4 50-250 C	2.2	3	5.1	*				20	19.4	19	18.4	17.7	17	16	15	13.8	12.5	11	7.3	
R.P NFV4 50-250 B	3	4	6.4	*	50	50	H (m)	22.2	21.9	21.6	21.3	20.8	20	19	18	17	15.6	14	10.7	
R.P NFV4 50-250 A	3	4	6.4	*				25	24.6	24.2	23.8	23.2	22.3	21.3	20.3	19.2	18	16.4	13	




نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q	n ≈ 1450 rpm , 50 Hz												
	KW	HP	380 V	220 V	مکش	رانش		m ³ /h	12.5	15	17.5	20	22.5	25	27.5	30	32.5	35	37.5	40
			A	A				l/s	3.47	4.17	4.86	5.56	6.25	6.94	7.64	8.33	9.03	9.72	10.42	11.11
R.P NFV4 50-315/65 F	2.2	3	5.1	13.7	65	65	H (m)	20	19.3	18.7	18	17.4	16.5	15.3	13.8	*	*	*	*	
R.P NFV4 50-315/65 E	3	4	6.4	*				21.8	21.4	21	20.5	19.7	18.7	17.5	16	14.4	12.6	*	*	
R.P NFV4 50-315/65 D	4	5.5	8.4	*				24.2	23.8	23.4	22.6	21.8	20.7	19.4	18	16.5	15	13.3	11.7	
R.P NFV4 50-315/65 C	4	5.5	8.4	*				27	26.6	26	25.5	24.8	24	23	22	20.7	19.3	17.8	15.7	
R.P NFV4 50-315/65 B	5.5	7.5	11.5	*				32.7	32.3	31.8	31.2	30.5	29.6	28.5	27.3	25.8	24.3	22.6	20.7	
R.P NFV4 50-315/65 A	7.5	10	14.4	*				37	36.5	36	35.3	34.5	33.5	32.5	31	29.6	28	26.3	24.5	

H m




η %



نوع پمپ	توان P		جریان (آمپر)		قطر فلنج mm		آبدهی Q	n ≈ 1450 rpm , 50 Hz												
	KW	HP	380 V	220 V	مکش	رانش		m ³ /h	15	20	25	30	35	40	45	50	55	60	65	70
			A	A				l/s	4.17	5.56	6.94	8.33	9.72	11.11	12.5	13.89	15.28	16.67	18.05	19.44
R.P NFV 50-315/65																				
R.P NFV4 65-160 C	1.5	2	3.6	9.2				10.6	10.4	10	9.6	8.9	8	7.2	6.2	4.9	3.5	2	*	
R.P NFV4 65-160 B	1.5	2	3.6	9.2	65	65	H (m)	11.9	11.1	11.3	10.7	10	9	8.2	7	5.8	4.4	2.8	1.2	
R.P NFV4 65-160 A	2.2	3	5.1	13.7				13.3	13	12.8	12.4	11.8	11	10.2	9	7.9	6.5	5.1	3.5	

H m



η %

